Sheet	1	of	1	
OHICEL		OI.		

FORM	I PTC				U.S. Dept. of Commerce	Atty Do	ocket No.		Serial No.	
•					Patent and Trademark Office	P1134			09/157,289	
LIST	OF DIS	SCLOSURES CITED B	BY APPLIC	CANK	Patent and Trademark Office	Applic	<b>ant</b> nazi et a	.1		
				70°	mag 置	Filing C			Group	
(0	se sev	veral sheets if necessary	y) [	NEC	7.5 1883 ST	1 -	Sep 1998		1646	
				<u> </u>	EOBÉIGN PATENT DOCUMENTS	<u>'</u>				
Examiner				_	WT& THE	T		T		slation
Initials		Document Number	Da	ite	Country		Class	Subclas		No
an	ŀ	WO 99/04001		01.99	PCT			T/		
Cu_	l	WO 99/07738		02.99	PCT .		$\rightarrow$	1		
cu	196	WO 99/26977	l	06.99	PCT					
					OSURES (Including Author, Title, Date,		-	•		
Cu	197	Yu, K. et al., "A light-mediated ar	newly optosis	identit: " <u>J. Bi</u>	ied member of tumor necrosis factors. Chemistry 274(20):13733-1373	tor rece 6 (1999)	eptor sup	erfamily	y (TR6) su	ppresses
V <sup>s</sup> -										
					******	_				
	:									`
							4.			
				<u> </u>						
										•
		· .								
					<del></del>					-
							• •			
Examine	$\mathcal{L}$	law M. Kers	ĝ	1	Da	ate Consid	Jered O			
*Examin	er: Init in conf	ial if reference condide ormance and not cons	ered, wheth	her or no clude cor	ot citation is in conformance with MPEP of of this form with next communication to	609; draw	/ line throug	h citation	1	



     	Ӭ́КΝ	ATION D		SURE	ATTY. DOCKET NO. P1134R2			RIAL NO. 157,289		
	4.2	CITATIO	NC		APPLICANT  A. Ashkenazi et al.					
APR 1:02	000 क	PTO-144	19		FILING DATE September 18, 1998		GR0 1646			4
EVANATION	er de			U.S. PA	TENT DOCUMENTS	Audiens :		-A. Jani		
EXAMINER'S INITIALS		PATENT NO.	DATE		NAME	CLAS	SS	SUBCLASS	FILING	DATE
	ļ					1				
			-							
			<u> </u>							
	χ.									
					· · · · · · · · · · · · · · · · · · ·					
				FOREIGN	PATENT DOCUMENTS	Ŝ	St. Sometin			
EXAMINER'S INITIALS		PATENT NO.	DATE		COUNTRY	CLAS		CURCI ACC	Transl	T
Cur	1	99/50413	07/10/99	PCT <del>(WO)</del>	COUNTRY	CLAS	>	SUBCLASS	Yes	No
						`				
107 720		OTHER I	 กดดแพรม	 TS/Including	g Author, Title, Date, F	    Pertiner	nt P	anes Etc.)		1 - 1
cw	2	Bai et al., "O	verexpressi	on of M68/Do	:R3 in human gastrointe -gene cluster" Proc. N	estinal t	ract	tumors inde		
Uh	3	Otsuki et al.,	"Over-expr	ession of the	decoy receptor 3 (DcR atients" Clin. Exp. Immu	3) gene	in p	eripheral bl	ood mononi	
EXAMINER	Clai	i M. Kay			DATE CONSIDERED 9/1/10					

SHEET 1 OF 1

SERIAL NO.

INFORMATION DISCLOSURE				P1134R2	09/	157,289		
	CITATI			APPLICANTS Ashkenazi et al.				
	PTO-14	49		FILING DATE September 18, 1998	GR 164	OUP 6		7
			U.S. PA	TENT DOCUMENTS				
EXAMINER'S							FILING	3 DATE
INITIALS	PATENT NO.	DATE	<del> </del>	NAME	CLASS	SUBCLASS		
eu	5,885,800	3/23/99	Emery et al					
	İ			0 /s				
			ATEN.	ton 28 30 m				
			To.	~~ (S)				
				OKON S	-	-		
			-					
			<u>'</u>					
				ecolodic .				
\$ h-	669633		FOREIGN	PATENT DOCUMENTS		mile with		
EXAMINER'S INITIALS	PATENT NO.	DATE		COUNTRY	CLASS	SUBCLASS		slation
Cu	19,809,978.	9/16/99	Germany	COUNTRY	CLASS	SUBCLASS	Yes	X
cu	99/11791	3/11/99	PCT (WO)					
ar	99/31128	6/24/99	PCT (WO)	***				
	OTHER	DOCUMEN	TS (Including	g Author, Title, Date, P	ertinent B	lages Etc.)		
		JOOUNEN		y Addivi, Hue, Date, F	Chuncht F	ages, Ltc./		
						·	-	
EXAMINER	Jan M.	L	C	DATE CONSIDERED				

ATTY. DOCKET NO.

1646

Sheet  $\underline{1}$  of  $\underline{1}$ Serial No. Atty Docket No. U.S. Dept. of Commerce P1134R2 09/157,289 Patent and Trademark Office **Applicant** LIST OF DISCLOSURES CITED BY APPLICANT OCT 0 6 2000 Ashkenazi et al. Filing Date Group (Use several sheets if necessary)

18 Sep 1998

# **U.S. PATENT DOCUMENTS**

Examiner Initials		Document Number	Date	Name	Class	Subclass /	Filing Date
an	Ť.	60/079,856		Dou et al.	1		30.03.98
P	2	60/086,074		Dou et al.			20.05.98
	3	60/099,643	N07	Dou et al.			09.09.98
	4	60/112,577		Dou et al PRW7			17.12.98
	5	60/112,703		Dou et al.			18.12.98
N	6	60/112,933		Dou et al.	/		18.12.98
an	7	60/113,407		Dou et al.	7		22.12.98

### **FOREIGN PATENT DOCUMENTS**

	Document Number	Date	Country	Class	Subclass	Transla Yes	ation No
8				-			
9	WO 00/53758	14.09.00	РСТ				
						į	
			·			:	
	8	Document Number  8	Document Number   Date	Document Number   Date   Country	Document Number   Date   Country   Class	Document Number   Date   Country   Class   Subclass	Document Number   Date   Country   Class   Subclass   Yes

Examiner

**FORM PTO-1449** 

Date Considered 2/6/01

U.S. Dept. of Commerce
Patent and Trademark Office

FILE COPY
Sheet 1 of

Atty Docket No. 11669.31US03

Serial No. 09/157,289

Applicant

Ashkenazi et al.

Filing Date 18 Sep 1998 Group 1646

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

### **U.S. PATENT DOCUMENTS**

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
cerc	1	4,179,337	18.12.79	Davis et al.	λ		
1	2	4,301,144	17.11.81	Iwashita et al.			691-8
	3	4,399,216	16.08.83	Axel et al.			10 0
	4	4,496,689	29.01.85	Mitra, G.	1 \		
	5	4,640,835	03.02.87	Shimizu et al.	1 \		
	6	4,670,417	02.06.87	Iwasaki et al.		/	
	7	4,676,980	30.06.87	Segal et al.	1 . \	1	
	8	4,736,866	12.04.88	Leder et al.		/	
	9	4,791,192	13.12.88	Nakagawa et al.	1 1/		
	10	4,816,567	28.03.89	Cabilly et al.	<b>Y</b>		
1	11	4,870,009	26.09.89	Evans et al.	$\Lambda$		
	12	5,010,182	23.04.91	Brake et al.			
	13	5,364,934	15.11.94	Drayna et al.		\	
	14	5,447,851	05.09.95	Beutler et al.		<b>\</b>	
	15	60/035,496	700	1		<b>N</b>	14.01.97
	16	60/035,722				\	28.01.97
Cem	1,7,	60/2037,.829	1	The second commence with the second s		$\perp$	05.02.97

#### FOREIGN PATENT DOCUMENTS

Examiner							Transla	ation
Initials		Document Number	Date	Country	Class	Subclass	Yes	No
un	18	003,089	25.07.79	EPO (ENGLISH ABSTRACT ATTACHED)		/		
	19	036,776	30.09.81	EPO	1			
	20	073,657	09.03.83	EPO .				
	21	117,058	29.08.84	EPO			. 4	
	22	117,060	29.08.84	EPO	1 \	1 /		
	23	307,247	15.03.89	EPO				
	24	362,179	04.04.90	EPO				
	25	417,563	20.03.91	EPO (ENGLISH ABSTRACT ATTACHED)			)	
cm	26	861,850	02.09.98	EPO		Ж	)	
an	27	WO 87/05330	11.09.87	PCT		/ \		
in	28	WO 89/05859	29.06.89	PCT				
an	29	WO 90/13646	15.11.90	PCT				
u	30	WO 91/00360	10.01.91	PCT				
an	31	WO 92/20373	26.11.92	PCT				
an	32	WO 93/08829	13.05.93	PCT				
in	33	WO 97/23614	03.07.97	PCT	_/	1		
			6		Ossidand			

Examiner Date Considered 2/6/6)

Sheet	2	of	9
Sneet	2	OI	2



U.S. Dept. of Commerce Patent and Trademark Office

Atty Docket No.	Serial No.
11669.31USO3	09/157,289
Applicant	,
Ashkenazi et al.	
Filing Date	Group

18 Sep 1998

1646

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

CODEION	DATENT	<b>DOCUMENTS</b>	
PUREIGN	PAIENI	DUCUMENTS	١

FUREIGN PATENT DUCUMENTS											
Examiner Initials		Document Number	Date	Country	Class	Subclass	Transla Yes	tion No			
in	34	WO 97/25428	17.07.97	PCT							
7,1	35	WO 98/30694	16.07.98	PCT							
cu	36	WO 98/32856	30.07.98	PCT							
av	2 37	2,211,504	05.07.89	UNITED KINGDOM							
			OTHER DISCL	OSURES (Including Author, Title, Date, Pe	rtinent Pages, et	c.)					
	Mammalian Cell Biotechnology: A Practical Approach, M. Butler, ed., IRL Press (1991)										
	* 38						-				

Nammalian Cell Biotechnology - Province - Ruller ed., IRL Press (1991)   188   Remington's Pharmaceutical Sciences, Oslo et al., eds., 16th edition, Mack Publishing Co. (1980)   199   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   140   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   140   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   141   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   142   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   143   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   144   Chemotherapy, Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)   145   Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T (1995)   146   Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T (1995)   147   Amakawa et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dedictic-cell function Mature 390(6656):175-179 (Nov 13, 1997)   148   Amakerson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dedictic-cell function Mature 390(6656):175-179 (Nov 13, 1997)   148   Amakerson, W.F., "Human gene therapy" Science 256:808-813 (1992)   149   Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids' CRC Crit. Rev. Biochem. 10(4):259-306 (1981)   140   Arase et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)   141   Arase et al., "Fas-mediated cytotoxicity by freshyly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)   142   Ashkenazi et al., "Preparation, Applications of Carbohydrate Conjugates of Proteins and Carbohydrate Conjugates of Proteins and Carbohydrate				OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)
Remington's Pharmaceutical Sciences, Oslo et al., eds., 16th edition, Mack Publishing Co. (1980)  139  Chemotherapy Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)  Handbook of Moncolonal Antibodies, Ferrone et al. eds., Park Ridge, NJ:Noyes Publications, pps. 302-359 41 and Chapter 22 (1985)  Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  42 Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T (ells" Cold Spring Marbox Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  45  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin' Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TMF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)				Mammalian Cell Biotechnology: A Practical Approach, M. Butler, ed., IRL Press (1991)
Chemotherapy Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)			* 38	
Chemotherapy Service Ed., M.C. Perry, Baltimore, MD:Williams & Wilkins (1992)  40-  Handbook of Monoclonal Antibodies, Ferrone et al. eds., Park Ridge, NJ:Noyes Publications, pps. 302-359 and Chapter 22 (1985)  Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T (2014) Gells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)		$\dashv$		Remington's Pharmaceutical Sciences, Oslo et al., eds., 16th edition, Mack Publishing Co. (1980)
Handbook of Monoclonal Antibodies, Ferrone et al. eds., Park Ridge, NJ:Noyes Publications, pps. 302-359 and Chapter 22 (1985)  Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6556):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	-		* 39	
Handbook of Monoclonal Antibodies, Ferrone et al. eds., Park Ridge, NJ:Noyes Publications, pps. 302-359 and Chapter 22 (1985)  Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of. Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)				
Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	-		<del>*_4</del> 0=	
Altschul et al., "Local alignment statistics" Methods in Enzymology 266:460-480 (1996)  42  Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  45  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	-			
Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T  Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	CM	4	41	and Chapter 22 (1985)
Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF\$ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	T			Altschul et al., "Local alignment statistics" <u>Methods in Enzymology</u> 266:460-480 (1996)
Cells" Cold Spring Harbor Laboratory Symposium on Programmed Cell Death (Abstr. No. 10) (1995)  Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)			42	
Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)		$\neg$		
dendritic-cell function" Nature 390(6656):175-179 (Nov 13, 1997)  Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)			43	Cells" <u>Cold Spring Harbor Laboratory Symposium on Programmed Cell Death</u> (Abstr. No. 10) (1995)
Anderson, W.F., "Human gene therapy" Science 256:808-813 (1992)  Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF\$ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)				
Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF# Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	Anderson, W.F., "Human gene therapy" <u>Science</u> 256:808-813 (1992)		44	dendritic-cell function" <u>Nature</u> 390(6656):175-179 (Nov 13, 1997)
Aplin et al., "Preparation, Properties, and Applications of Carbohydrate Conjugates of Proteins and Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)				Anderson, W.F., "Human gene therapy" <u>Science</u> 256:808-813 (1992)
Lipids" CRC Crit. Rev. Biochem. 10(4):259-306 (1981)  Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFβ Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)			45	
Arase et al., "Fas-mediated cytotoxicity by freshly isolated natural killer cells" Journal of Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)				
Experimental Medicine 181(3):1235-1238 (Mar 1, 1995)  Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex: Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)			46	Lipids" <u>CRC Crit. Rev. Biochem.</u> 10(4):259-306 (1981)
Ashkenazi and Chamow, "Immunoadhesins: An Alternative to Human Monoclonal Antibodies" Methods: A  Companion to Methods in Enzymology 8:104-115 (1995)  Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin"  Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF\$ Complex:  Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)		T		· · · · · · · · · · · · · · · · · · ·
Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin"  49 Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex:  50 Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis  Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	1 1		47	<u>Experimental Medicine</u> 181(3):1235-1238 (Mar 1, 1995)
Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin"  Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex:  Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis  Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)		_		
Proc. Natl. Acad. Sci. 88:10535-10539 (1991)  Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex:  Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	$\perp \perp$		48	Companion to Methods in Enzymology 8:104-115 (1995)
Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNFB Complex:  50 Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	$\Box$			
Implications for TNF Receptor Activation" Cell 73:431-445 (1993)  Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)			49	<u>Proc. Natl. Acad. Sci.</u> 88:10535-10539 (1991)
Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis 51 Factor Receptor 1 and Fas(Apo-1/CD95)" Immunity 6:79-88 (1997)	-	_		
51 Factor Receptor 1 and Fas(Apo-1/CD95)" <u>Immunity</u> 6:79-88 (1997)		ŀ	50	Implications for TNF Receptor Activation" <u>Cell</u> 73:431-445 (1993)
		$\neg \dagger$		
Poorpor of al "Production of Antigon-Specific Human Monoglanal Antibodies From In Vitro-Primed Human			51	Factor Receptor 1 and Fas(Apo-1/CD95)" <u>Immunity</u> 6:79-88 (1997)
		$\dashv$		Boerner et al., "Production of Antigen-Specific Human Monoclonal Antibodies From In Vitro-Primed Human
52 Splenocytes" The Journal of Immunology 147(1):86-95 (1991)		ا ,	52	Splenocytes" The Journal of Immunology 147(1):86-95 (1991)

Bolivar et al., "Construction and Characterization of New Cloning Vehicles. II. A Multipurpose Cloning System Gene 2:95-113 (1977) 53

Examiner

Cur

**Date Considered** 

	OR	3 Haa A
FORM PTO-1449	V <sub>bk</sub>	T& TRADENT
LIST OF DISCLOSURES CITED	BY APPLI	T&TRAD
(Use several sheets if necessa	ry)	

U.S. Dept. of Commerce Patent and Trademark Office Atty Docket No. Serial No. 09/157,289 11669.31US03

LIST OF DISCLOSURES CITED BY ADDITIONAL			Applicant			
LIST OF DISCLOSURES CITED BY APPLICANT			Ashkenazi et al.			
(Use several sheets if necessary)			Filing Date	Group		
			18 Sep 1998	1646		
•		OTHER DISCLOSURES (Including Author, Title, Date,				
01~	Bradley, "Production and Analysis of Chimaeric Mice" <u>Teratocarcinomas and Embryonic Stem Cells: A</u> Practical Approach, E. J. Robertson, ed., IRL, Oxford, Chapter 5, pps. 113-151 (1987)					
4		Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines be monoclonal antibodies" <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> 87:3127-3131 (1990)				
	56	Brodeur et al., "Mouse-Human Myeloma Partners for the Production Antibody Production Techniques and Applications, New York:Marce				
	57	Brojatsch et al., "CAR1, a TNFR-Related Protein, Is a Cellular Leukosis-Sarcoma Viruses and Mediates Apoptosis" <u>Cell</u> 87:845-85	<u>-</u>	ic Avian		
	58	Carter et al., "Improved oligonucleotide site-directed mutagene 13(12):4431-4443 (1985)	esis using M13 vectors	" <u>Nucl. Acids Res.</u>		
	59	Chang et al., "Phenotypic Expression in E. coli of a DNA Sequer Reductase" <u>Nature</u> 275:617-624 (October 19, 1978)	nce Coding for Mouse D	ihydrofolate		
	60	Chicheportiche et al., "TWEAK, a new secreted ligand in the tun induces apoptosis" <u>Journal of Biological Chemistry</u> 272(51):324(				
	elated to TNFR-1 and					
	, 62	othia, "The Nature of the Accessible and Buried Surfaces in Proteins" <u>Journal Mol. Biol.</u> 105:1-14 976)				
Cer	63	Cole et al., "The EBV-Hybridoma Technique and Its Application t Antibodies and Cancer Therapy, Reisfeld et al., New York:Alan F	· ·			
	* 64	Coligan et al. <u>Current protocols in immunology</u> , New York: John W	Wiley & Sons (1994)			
a	65	Creighton,, "Protein Biosynthesis" <u>Proteins: Structures and Mol</u> Freeman & Co. pps. 79-86 (1983)	<u>ecular Principles</u> , Sa	n Francisco:W.H.		
	66	David et al., "Protein Iodination with Solid State Lactoperoxic	lase" <u>Biochemistry</u> 13(	5):1014-1021 (1974)		
	67	Dealtry et al., "DNA Fragmentation and Cytotoxicity Caused by Tumor Necrosis Factor is Enhanced by Interferon-γ" European Journal of Immunology 17:689-693 (1987)				
		deBoer et al., "The TAC Promoter: A functional Hybrid Derived From the TRP and LAC Promoters" <u>Proc.</u> Natl. Acad. Sci. USA 80:21-25 (1983)				
	Deutscher, M., "Rethinking your purification procedure" <u>Methods in Enzymology</u> 182:779-780 (1990) 69					
a	Dhein et al., "Autocrine T-cell suicide mediated by APO-1/(Fas/CD95)" Nature 373(6513):438					
~~~	*~71=	Dieffenbach et al., PCR Primer: A Laboratory Manual, Cold Sprin	ng Harbor Laboratory P	ress (1995)		
Cer	72	Dzau et al., "Gene therapy for cardiovascular disease" <u>Trends</u>	n Biotechnology 11:20	5-210 (1993)		
a	Edge et al., "Deglycosylation of glycoproteins by trifluoromethanesulfonic acid" Analytical Biochemistr 118:131-137 (1981)					
Examine	Examiner Date Considered					

U.S. Dept. of Commerce Patent and Trademark Office

Serial No. Atty Docket No. 09/157,289 11669.31USO3 Applicant

LIST	OF DIS	SCLOSURES CITED BY APPLICANT	Ashkenazi et al.				
(Use several sheets if necessary)				I Crawa			
			Filing Date	Group			
			18 Sep 1998	1646			
		OTHER DISCLOSURES (Including Author, Title, Date,	<del>-</del>				
		Evan et al., "Isolation of Monoclonal Antibodies Specific for H	uman c-myc Proto-Onco	ogene Product"			
74 Molecular & Cellular Biology 5:3610-3616 (1985)							
- 1		Field et al., "Purification of a RAS-Responsive Adenylyl Cyclase Complex from Saccharomyces cerevisiae					
75 by Use of an Epitope Addition Method" Molecular & Cellular Biology 8:2159-2165 (1988)							
	Gelb et al., "Pycnodysostosis: Refined Linkage and Radiation Hybrid Analyses Reduce the Critical Region						
-	76	to 2 cM at 1q21 and Map Two Candidate Genes" Human Genet. 98:14	1-144 (1996)				
		Gelmini et al., "Quantitative polymerase chain reaction-based h	omogeneous assay with	i fluorogenic probes			
- 1 1	77	to measure c-erbB-2 oncogene amplification" Clinical Chemistry					
-		Gething et al., "Cell-surface Expression of Influenza Haemagglu	tinin from a Cloned I	ONA Copy of the RNA			
-   -	78	Gene" Nature 293:620-625 (October 22, 1981)					
		Colina "Durdunting of Vancaland Antibedias" Managland Antibe	dica. Dringinles and	Dynatico Academic			
1 1	79	Goding, "Production of Monoclonal Antibodies" Monoclonal Antibo Press, pps. 59-103 (1986)	dies: Principles and	Practice, Adademic			
	9.0	Goeddel et al., "Direct Expression in Escherichia coli of a DNA Hormone" Nature 281:544-548 (October 18, 1979)	Sequence Coding for	Human Growth			
	0.1	Goeddel et al., "Synthesis of Human Fibroblast Interferon by E. 8(18):4057-4074 (1980)	coli" <u>Nucleic Acids</u>	Research			
	91						
		Goodwin et al., "Molecular cloning and expression of the type 1		eceptors for tumor			
	82 necrosis factor" <u>Molecular &amp; Cellular Biology</u> 11:3020-3026 (1991)						
		Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J.					
	83	3 Gen. Virol. 36:59-72 (1977)					
		Graham et al., "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA" <u>Virology</u>					
	84	52:456-467 (1973)					
		Gruss and Dower, "Tumor Necrosis Factor Ligand Superfamily: Inv	olvement in the Patho	ology of Malignant			
1 1	85	Lymphomas" <u>Blood</u> 85:3378-3404 (1995)					
1		Hahne et al., "Melanoma cell expression of Fas(Apo-1/CD95) liga	nd: implications for	tumor immune escape"			
1 1	86	<u>Science</u> 274(5291):1363-1366 (Nov 22, 1996)					
1-1	,	Hale et al., "Demonstration of in vitro and in vivo efficacy of	two biologically ac	tive human soluble			
1 1	87	TNF receptors expressed in E. coli J. Cell. Biochem. (abstract	only Supplement 15F	; P 424) pps. 113			
<del>                                     </del>		[(1991)] Hess et al., "Cooperation of Glycolytic Enzymes" Advances in En	zyme Regulation, Geo:	rge Weber, New			
1 1	88	York:Pergamon Press Vol. 7:149-167 (1968)					
-		Hitzeman et al., "Isolation and Characterization of the Yeast 3	-Phosphoglycerokinas	e Gene (PGK) by an			
	89	Immunological Screening Technique" Journal of Biological Chemis					
$\dashv$		1980) Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor					
- <b>\</b>	90	(TNFa)" Journal of Biological Chemistry 264(25):14927-14934 (1989)					
		Holland et al., "Isolation and Identification of Yeast Messenger Ribonucleic Acids Coding for Enolase,					
	91	Glyceraldehyde-3-phosphate Dehydrogenase, and Phosphoglycerate Kinase" <u>Biochemistry</u> 17(23):4900-4907					
-	(1978)  Holmes et al., "Structure and Functional Expression of a Human Interleukin-8 Receptor" <u>Science</u>						
	92 253(5025):1278-1280 (Sep 13, 1991)						
4			fram				
Cair	Hoogenboom and Winter, "By-passing immunisation: human antibodies from synthetic repertoires of germling by VH gene segments rearranged in vitro" J. Mol. Biol. 227:381-388 (1992)			pertoires of germline			
Cen	33	- 11 July 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	, _ , _ ,				
Examine	ro	2 n. h.	ate Considered				

, we are	
FORM PTO-1449	APR 1 2 1899
LIST OF DISCLOSURES CITED BY AP	PLICANT & TRADE

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No. Serial No.
11669.31US03 09/157,289
Applicant

LIST OF DIS	SCLOSURES CITED BY APPLICANT & TRADE	Applicant Ashkenazi et al.				
(Use sev	reral sheets if necessary)	18 Sep 1998	Group 1646			
	OTHER DISCLOSURES (Including Author, Title, Date,	Pertinent Pages, etc.)				
94	Hopp et al., "A Short Polypeptide Marker Sequence Useful for Re Purification" <u>Bio/Technology</u> 6:1204-1210 (1988)	combinant Protein Id	lentification and			
95	Hsiao et al., "High-frequency Transformation of Yeast by Plasmi Proc. Natl. Acad. Sci. USA 76:3829-3833 (1979)	ds Containing the Cl	loned Yeast Arg4 Gene			
96	Hunter et al., "Preparation of Iodine 131 Labelled Human Growth Hormone of High Specific Activity"  Nature 194:495-496 (1962)					
97	Itoh et al., "The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis" Cell 66:233-243 (1991)					
98	Johnson et al., "Expression and Structure of the Human NGF Rece	ptor" <u>Cell</u> 47:545-55	34 (November 21, 1986			
99	Jones et al., "Replacing the Complementarity-determining Region Mouse" Nature 321:522-525 (May 29, 1986)	s in a Human Antiboo	ly with Those From a			
100	Jones, E., "Proteinase Mutants of Saccharomyces Cerevisiae" <u>Gen</u>	<u>etics</u> 85(1):23-33 (1	[977]			
101	Keown et al., "Methods for Introducing DNA into Mammalian Cells	" <u>Methods in Enzymo</u> ]	<u>logy</u> 185:527-537 (19			
102	Kingsman et al., "Replication in Saccharomyces Cerevisiae of Pl trpl Region" <u>Gene</u> 7:141-152 (1979)	asmid pBR313 Carryir	ng DNA from the Yeas			
103	Kitson et al., "A Death-Domain-Containing Receptor that Mediate	s Apoptosis" <u>Nature</u>	384:372-375 (1996)			
104	Kohler et al., "Continuous Cultures of Fused Cells Secreting An 256:495-497 (August 7, 1975)	tibody of Predefined	Specificity" Natur			
105	Kohno et al., "A second tumor necrosis factor receptor gene pro necrosis factor inhibitor" <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> 87:8331-8		rally occurring tum			
106	Kozbor et al., "A Human Hybrid Myeloma for Production of Human Immunology 133(6):3001-3005 (1984)	Monoclonal Antibodie	es" The Journal of			
107	Krammer et al., "Regulation of Apoptosis in the Immune System"	Curr. Op. Immunol. 6	5:279-289 (1994)			
108	Kwon et al., "Manipulation of T cell costimulatory and inhibito cancer" <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> 94(15):8099-8103 (Jul 22, 19		notherapy of prostat			
109	Lacey et al., "Osteoprotegerin ligand is a cytokine that regulates osteoclast differentiation and activation" Cell 93(2):165-176 (Apr 17, 1998)					
110	Leach et al., "Enhancement of antitumor immunity by CTLA-4 blockade" <u>Science</u> 271(5256):1734-1736 (Mar 22, 1996)					
111	Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> 88:2830-2834 (1991)					
Li et al., "Targeted mutation of the DNA methyltransferase gene results in emb		results in embryoni	ic lethality" <u>Cell</u>			
en 113	Loetscher et al., "Molecular Cloning and Expression of the Huma Cell 61:351-359 (April 20, 1990)	n 55 kd Tumor Necros	sis Factor Receptor"			
xaminer /	n n. //	ate Considered				
13/	Per M. (1)	2/6/01				

		. E		Sheet 6 of 9
FOR	M PTO-	449 U.S. Dept. of Commerce	Atty Dočket No.	Serial No.
		I APR 1 L table E	11669.31US03	09/157,289
		atent and Trademark Office	Applicant	
LIS	T OF DI	SCLOSURES CITED BY APPLICATE AND A STRANGE OF THE S	Ashkenazi et al.	
		eral sheets if necessary)	Filing Date	Group
`		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	18 Sep 1998	1646
		OTHER DISCLOSURES (Including Author, Title, Date	e, Pertinent Pages, etc.)	
7.2	114	Lutz-Freyermuth et al., "Quantitative Determination That One o A Protein Component of the U1 Small Nuclear Ribonucleoprotein		
Cu	1114	Stem-loop II of U1 RNA" Proc. Natl. Acad. Sci. USA 87:6393-639		gn Allinity to
	1	Mallett et al., "Characterization of the MRC OX40 Antigen of A		T Lymphocytes - a
	115	Molecule Related to Nerve Growth Factor Receptor" EMBO Journal	<u>(</u> 9:1063-1066 (1990)	
		Mansour et al., "Disruption of the Proto-oncogene int-2 in Mou		n Cells: a General
	116	Strategy for Targeting Mutations to Non-selectable Genes" Natu	ire 330:346-332 (1900)	
		Mantei et al., "Rabbit β-globin mRNA Production in Mouse L Cel	ls Transformed with C	loned Rabbit β-globin
	117	Chromosomal DNA" Nature 281:40-46 (September 6, 1979)		
	1	Marks et al., "By-passing immunization: human antibodies from	V-gene libraries disp	layed on phage" <u>J.</u>
	118	<u>Mol. Biol.</u> 222:581-597 (1991)		
		Marsters et al., "Activation of Apoptosis by Apo-2 Ligand is I	independent of FADD but	Blocked by CrmA"
	119	<u>Current Biology</u> 6(6):750-752 (1996)		
		Marsters et al., "Apo-3, a New Member of the Tumor Necrosis Fa		Contains a Death
	120	Domain and Activates Apoptosis and NF-KB" Curr. Biol. 6(12):16	069-1676 (1996)	
		Marsters et al., "Herpesvirus Entry Mediator, A Member of the		
	121	Interacts with Members of the TNFR-associated Factor Family an NF-KB and AP-1" Journal of Biological Chemistry 272(22):14029-		cription ractors
	7	Marsters et al., "Identification of a ligand for the death-dom		or Apo3" <u>Current</u>
	122	Biology 8(9):525-528 (Apr 23, 1998)		
	1	Martin et al., "GAP Domains Responsible for Ras p21-Dependent	Inhibition of Muscarin	nic Atrial K+ Channel
	123	Currents" <u>Science</u> 255:192-194 (1992)		
		Mather et al., "Establishment and Characterization of Two Dist	inct Mouse Testicular	Epithelial Cell
- 4	124	Lines" <u>Biol. Reprod.</u> 23:243-252 (1980)	•	
		Mauri et al., "LIGHT, a new member of the TNF superfamily, and	l lymphotoxin $lpha$ are lie	gands for herpesvirus
- 1	125	entry mediator" <u>Immunity</u> 8(1):21-30 (Jan 1998)		
	100	Medvedev et al., "Regulation of Fas and Fas-ligand expression involvement of Fas- ligand in NK/LAK cell-mediated cytotoxicit		
1	126	Involvement of Fas- figand in NK/LAK cell-mediated cytocoxicit	cy" <u>Cytokine</u> 9(6):394-4	104 (Jun 1997)
	T	Merrifield, R.B., "Solid Phase Peptide Synthesis. I. The Synth 85:2149-2154 (1963)	esis of a Tetrapeptide	e" <u>J. Am. Chem. Soc.</u>
	127	03:2149-2134 (1903)		
$\Box$	100	Milstein et al., "Hybrid Hybridomas and Their Use in Immunohis	stochemistry" <u>Nature</u> 30	05:537-540 (1983)
- 1	128			
T	100	Montgomery et al., "Herpes Simplex Virus-1 Entry into Cells Me Receptor Family" <u>Cell</u> 87(3):427-436 (1996)	ediated by a Novel Memb	per of the TNF/NGF
$\perp$	129			E-KOLCEEA
1.	120	Moretta, A., "Molecular mechanisms in cell-mediated cytotoxici	ty" <u>Cell</u> 90(1):13-18	(Jul 11, 1997)
	130			
	122	Munson et al., "LIGAND: A Versatile Computerized Approach for Systems" Analytical Biochemistry 107:220-239 (1980)	Characterization of L	igand-Binding
_∖`		PASCEMP PHOTOGRAMISERA 101:550-533 (1300)		
1		Nagata, "Apoptosis by Death Factor" Cell 88:355-365 (1997)		

Examiner

132

133

Our

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Nagata et al., "The Fas Death Factor" Science 267:1449-1456 (1995)

U.S. Dept. of Commerce

Atty Docket No. Serial No. 09/157,289 11669.31USO3

		atent and trademark office	Applicant		
LIST	OF DIS	SCLOSURES CITED BY APPLICATE A SECTION OF THE SECTI	Ashkenazi et al.		
		eral sheets if necessary)	Filing Date	Group	
,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	18 Sep 1998	1646	
		OTHER DISCLOSURES (Including Author, Title, Date,	Pertinent Pages, etc.)		
	Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type				
Ch	134 TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor <u>EMBO Journal</u> 9:3269-3278 (1990)				
		Nygren, H., "Conjugation of Horseradish Peroxidase to Fab Fragm			
Q~	135	Heterobifunctional Cross-Linking Reagents <sup>*</sup> The Journal of Histo (1982)			
	.+.12 C	O'Reilly, D. Baculovirus expression vectors: a laboratory manua	1, New York:Oxford Un	iversity Press (1994)	
	*13-6-	The state of the s	· 「「「「」」「「「」」「「」」「「」」「「」」「「」」「」」「」「」」「」	A COMPANY AND PROPERTY AND PARTY AND	
Û~	137	Paborsky et al., "Mammalian Cell Transient Expression of Tissue Protein Eng. 3(6):547-553 (1990)	Factor for the Produ	ction of Antigen"	
W,		  Pain et al., "Preparation of Protein A-Peroxidase Monoconjugate	Using a Heterobifunc	tional Reagent, and	
	138	its Use in Enzyme Immunoassays" <u>Journal of Immunological Method</u>		<u> </u>	
	139	Pan et al., "An Antagonist Decoy Receptor and a Death-domain Co 277:815-818 (1997)	ntaining Receptor for	TRAIL" <u>Science</u>	
	137				
	140	Pan et al., "The Receptor for the Cytotoxic Ligand TRAIL" <u>Scien</u>	<u>ce</u> 276:111-113 (1997)		
	140				
	141	Peetre et al., "A tumor necrosis factor binding protein is pres Haemotol. 41:414-419 (1988)	ent in human biologic	al fluids" <u>Eur. J.</u>	
		Pennica et al., "Human Tumour Necrosis Factor: Precursor Struct	ure, Expression and H	omology to	
	142	Lymphotoxin" <u>Nature</u> 312:724-729 (1984)	New Member of the Tumor Necrosis Factor 7-12690 (1996)		
	143	Pitti et al., "Induction of Apoptosis by Apo-2 Ligand, a New Me Cytokine Family" <u>Journal of Biological Chemistry</u> 271:12687-1269			
	144	Presta, L., "Antibody Engineering" Curr. Op. Struct. Biol. 2:59			
	145	Radeke et al., "Gene transfer and molecular cloning of the rat: 325:593-597 (February 12, 1987)	nerve growth factor r	eceptor" <u>Nature</u>	
		Riechmann et al., "Reshaping Human Antibodies for Therapy" <u>Natu</u>	<u>re</u> 332:323-327 (March	24, 1988)	
	146				
du	147	Ruppert et al., "Cloning and Expression of Human TAF <sub>11</sub> 250: a TB Cell-cycle Regulation" <u>Nature</u> 362:175-179 (1993)	P-associated Factor I	mplicated in	
		Sambrook et al. Molecular Cloning: A Laboratory Manual, Second	edition, New York:Col	d Spring Harbor	
	*148	Laboratory Press (1989)			
		  Samter et al. <u>Samter's Immunological Diseases</u> , 5th edition, Bos	ton:Little. Brown and	Company Vol. I & II	
	*149	The state of the s			
Cur	150	Schall et al., "Molecular Cloning and Expression of a Receptor 61:361-370 (April 20, 1990)	for Human Tumor Necro	sis Factor" <u>Cell</u>	
Schmid et al., "DNA Fragmentation: Manifestation of Target Cell Destruction Mediated Lines, Lymphotoxin-secreting Helper T-cell Clones, and Cell-free Lymphotoxin-containing Proc. Natl. Acad. Sci. USA 83:1881-1885 (1986)					
Scopes, R. <u>Protein Purification</u> , New York:Springer-Verlag (1982)					
152				Bird Company of the C	
Ca	Seckinger et al., "Purification and biologic characterization of a specific tumor necrosis factor α  153 Inhibitor" Journal of Biological Chemistry 264:11966-11973 (1989)				
Examine	r . /		ate Considered		
-xumme	' ^ /		ato og ibideled		

	•	OE VOLUME					
FORM	I PTO-	1449 U.S. Dept. of Commerce	Atty Docket No.	Serial No.			
		O BOOK	11669.31US03	09/157,289			
		1449  ONLY  Patent and Trademark Office  SCI OSURES CITED BY APPLICANT	Applicant				
LIST	OF DIS	SCLOSURES CITED BY APPLICANT	Ashkenazi et al.				
			Filing Date	Croup			
(L	Jse sev	eral sheets if necessary)	1	Group · 1646			
_	_		18 Sep 1998	1040			
		OTHER DISCLOSURES (Including Author, Title, Date	, Pertinent Pages, etc.)				
-		Shaw et al., "A General Method for the Transfer of Cloned Gene	s to Plant Cells" <u>Gen</u>	e 23:315-330 (1983)			
au	154						
an			ly of Signaling and D	ecov Recentors"			
	155	Science 277:818-821 (1997)	-, 01 219	oody modeputer			
	156	Simonet et al., "Osteoprotegerin: A Novel Secreted Protein Invo Cell 89:309-319 (Apr 18, 1997)	olved in the Regulation	on of Bone Density"			
	126	CELL 65.505~515 (Apr 16, 1557)					
		Skinner et al., "Use of the Glu-Glu-Phe C-terminal Epitope for					
1	157	Domain of Normal and Mutant ras GTPase-activating Proteins" Jou	urnal of Biological C	<u>nemistry</u>			
		266:14163-14166 (1991) Smith et al., "Cardiac Glycoside-Specific Antibodies in the Tre	eatment of Digitalis	Intoxication"			
	158	Antibodies in Human Diagnosis and Therapy pps. 365-389 (1977)					
	150	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Proteins" Science 248:1019-1023 (May 25, 1990)	Unusual Family of Ce.	ilular and viral			
}	139						
		Smith et al., "T2 Open reading frame from the shope fibroma vi	rus encodes a soluble	form of the TNF			
1	160	receptor" Biochem. & Biophys. Res. Comm. 176:335-342 (1991)					
+		Sojar et al., "A Chemical Method for the Deglycosylation of Pro	oteins" Archives of B	iochemistry &			
	161	<u>Biophysics</u> 259(1):52-57 (1987)					
		  Sompayrac et al., "Efficient infection of monkey cells with DNA	A of simian virus 40"	Proc Natl Acad			
	162	Sci. USA 78(12):7575-7578 (Dec 1981)	or Similar Viras 40	1100. Mac1. Meda.			
1/							
Č.	. 1.62	Stamenkovic et al., "A B-lymphocyte activation molecule related induced by cytokines in carcinomas" EMBO Journal 8(5):1403-1416		factor receptor and			
$\mathcal{U}$	163	Induced by Cycokines in Carcinomas <u>Embo bournar</u> 0(5).1405 1410	3 (1909)				
		Stewart et al. <u>Solid-Phase Peptide Synthesis</u> , San Francisco, Ci	A:W.H. Freeman Co. (1	969)			
	*164	Control of the Contro	Contraction of the second	PLANTE CANAL TOTAL CONTRACTOR			
		Stinchcomb et al., "Isolation and Characterisation of a Yeast (	Chromosomal Replicato	r" <u>Nature</u> 282:39-43			
an	165	(November 1, 1979)					
W		  Strand et al., "Lymphocyte apoptosis induced by CD95 (APO-1/Fa:	s) ligand-expressing	tumor cellsa			
	166	mechanism of immune evasion?" Nature Medicine 2(12):1361-1366					
	1.07	Suda et al., "Molecular Cloning and Expression of the Fas Ligar  Factor Family" <u>Cell</u> 75:1169-1178 (1993)	nd, a Novel Member of	the Tumor Necrosis			
	10/	raceof raming <u>con</u> 75.1105 1170 (1555)					
7		Suresh et al., "Bispecific Monoclonal Antibodies from Hybrid H	ybridomas" <u>Methods in</u>	Enzymology			
- 1	168	121:210-228 (1986)					
+		Takao et al., "Novel DNA Polymorphism in the Mouse Tumor Necros	sis Factor Receptors '	Type 1 and Type 2"			
ı	169	l=					
+		Thimmannaya et al. "Adenovirus VAI RNA is required for efficie	ent translation of vi	ral mRNAs at late			
	170	Thimmappaya et al., "Adenovirus VAI RNA is required for efficient translation of viral mRNAs at late times after infection" Cell 31(3 Pt 2):543-551 (Dec 1982)					
1	171	Thomas et al., "Site-Directed Mutagenesis by Gene Targeting in Mouse Embryo-Derived Stem Cells" Cell					
1	1/1	171 51:503-512 (1987)					
	Thomas, P., "Hybridization of Denatured RNA and Small DNA Fragments Transferred to Nitrocellulose" Proc.						
	172	172 Natl. Acad. Sci. USA 77(9):5201-5205 (September 1980)					
4		Thotakura et al., "Enzymatic Deglycosylation of Glycoproteins"	Meth. Enzymol. 138:3	50-359 (1987)			
CW	173			•			
	<u> </u>		No. 10 10 10 10 10 10 10 10 10 10 10 10 10				
Examine	er (~)	0 - N. 1/2/	Date Considered				
		in 14.166/	4/6/01				
		itial if reference considered, whether or not citation is in conformance with MPEP		ation			
		formance and not considered. Include copy of this form with next communication					

FORM PTO-1449

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if presessed)

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No. 11669.31US03

Serial No. 09/157,289

Applicant

Ashkenazi et al. Filing Date Group (Use several sheets if necessary) 1646 18 Sep 1998 OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.) Traunecker et al., "Bispecific Single Chain Molecules (Janusins) Target Cytotoxic Lymphocytes on HIV Infected Cells" EMBO Journal 10(12):3655-3659 (1991) 174 av Tschumper et al., "Sequence of a Yeast DNA Fragment Containing a Chromosomal Replicator and the TRP1 Gene" Gene 10:157-166 (1980) Upton et al., "Myxoma virus expresses a secreted protein with homology to the tumor necrosis factor receptor gene family that contributes to viral virulence" Virology 184:370-382 (1991) Upton et al., "Tumorigenic poxviruses: genomic organization and DNA sequence of the telomeric region of the shope fibroma virus genome" Virology 160:20-29 (1987) 177 "Irlaub et al., "Isolation of Chinese Hamster Cell Mutants Deficient in Dihydrofolate Reductase Activity Proc. Natl. Acad. Sci. USA 77(7):4216-4220 (July 1980) 178 Van Solingen et al., "Fusion of Yeast Spheroplasts" <u>J. Bact.</u> 130:946-947 (1977) 179 Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity" <u>Science</u> 239:1534-1536 (Mar 25, 1988) Wagner et al., "Transferrin-polycation conjugates as carriers for DNA uptake into cells" Proc. Natl. Acad. Sci. 87:3410-3414 (1990) 181 Welcher et al., "Nerve growth factor binding domain of the nerve growth factor receptor" Proc. Natl. Acad. Sci. USA 88:159-163 (1991) 182 Wells et al., "Cassette Mutagenesis: an Efficient Method for Generation of Multiple Mutations at Defined Sites" <u>Gene</u> 34(2-3):315-323 (1985) Wells et al., "Importance of hydrogen-bond formation in stabilizing the transition state of subtilisin" Philos. Trans. R. Soc. London Ser A 317:415-423 (1986) 184 Wiley et al., "Identification and Characterization of a New Member of the TNF Family that Induces Apoptosis" Immunity 3:673-682 (1995) 185 Wong et al., "TRANCE Is a Novel Ligand of the Tumor Necrosis Factor Receptor Family That Activates c-Jun N-terminal Kinase in T Cells" <u>Journal of Biological Chemistry</u> 272(40):25190-25194 (Oct 3, 1997) 186 Wu et al., "Receptor-mediated in vitro gene transformation by a soluble DNA carrier system" <u>Journal of</u> Biological Chemistry 262(10):4429-4432 (1987) Yan and Chao, "Disruption of Cysteine-rich repeats of the p75 nerve growth factor receptor leads to loss of ligand binding" Journal of Biological Chemistry 266:12099-12104 (1991) 188 Yonehara et al., "A cell-killing monoclonal antibody (anti-Fas) to a cell surface antigen co-downregulated with the receptor of tumor necrosis factor" Journal of Experimental Medicine 169:1747-1756 (1989) Zamecnik et al., "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA" Proc. Natl. Sci. 83:4143-4146 (1986) "Induction of Apoptosis in Mature T Cells by Tumor Necrosis Factor" Nature 377:348-351 Zheng et al., (1995)191 Zola, "Using Monoclonal Antibodies: Soluble Antigens" Monoclonal Antibodies: A Manual of Techniques, CRC 192 Press, Chapter 6, pps. 147-158 (1987) Zoller et al., "Oligonucleotide-directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA" Nucl. Acids Res. Cw 10(20):6487-6500 (1982)

Examiner ()

Date Considered